

- **News**
- **Sanitization Disinfection and Odor Neutralization Methods**
Sanitization Disinfection and Odor Neutralization Methods Choosing EPA registered disinfectants for duct interiors When to apply ULV fogging in HVAC cleaning Natural botanical products for low VOC sanitization Odor neutralizers suitable for confined ventilation zones Disinfecting coils after microbial contamination events How fogging reaches duct sections behind dampers Comparing chemical and non chemical odor treatments Safety procedures when applying sanitizers in ducts The science behind odor adsorption and oxidation Post cleaning deodorization for occupied buildings Maintaining airflow after deodorizer application Documentation required for sanitizer usage reporting
- **Regulatory Standards and Certification Frameworks**
How fogging reaches duct sections behind dampers

How fogging reaches duct sections behind dampers

Understanding the Need for Duct Sanitization, Disinfection, and Odor Control

Understanding ductwork and damper systems in Calgary homes is crucial for maintaining optimal indoor air quality and ensuring efficient HVAC performance. In Calgary, where winters can be particularly harsh, a well-functioning HVAC system is essential for comfort and health. One common maintenance procedure is fogging, a method used to clean ductwork by introducing a cleaning solution into the ducts. However, reaching duct sections behind dampers can be challenging.

Ductwork in homes consists of a network of tubes and passages that distribute heated or cooled air throughout the house. Dampers are devices installed within the ductwork to regulate airflow to different rooms or zones. They can be manually adjusted or controlled automatically by a thermostat. While dampers are vital for controlling temperature and airflow, they can also obstruct access to certain sections of the ductwork during maintenance procedures like fogging.

Fogging involves spraying a fine mist of cleaning solution into the ductwork to dislodge dirt, dust, mold, and other contaminants. The solution then travels through the ducts, reaching even the most inaccessible areas. However, when dampers are closed, they can block the path of the fogging solution, preventing it from reaching duct sections behind them. This can result in incomplete cleaning and potentially leave behind hidden contaminants that may affect indoor air quality.

To ensure thorough cleaning during fogging, it's essential to understand how to navigate dampers effectively. Technicians may need to manually open dampers before fogging to allow the cleaning solution to reach all duct sections. Air duct cleaning near Calgary enhances comfort year-round **whole home duct cleaning calgary** fee. Additionally, using specialized equipment and techniques can help ensure that fogging solution penetrates behind dampers, even when they are closed.

In conclusion, understanding ductwork and damper systems in Calgary homes is essential for effective HVAC maintenance, including fogging. By navigating dampers and ensuring thorough coverage of all duct sections, homeowners can maintain optimal indoor air quality and prolong the lifespan of their HVAC systems. Regular maintenance, including fogging, is crucial for keeping ductwork clean and ensuring efficient operation, especially in the challenging climate of Calgary.

When it comes to duct cleaning, one of the most effective methods is fogging. This technique involves dispersing a fine mist of cleaning solution into the ductwork, which helps to break down and remove dirt, grime, and other contaminants. However, for fogging to be truly effective, it's important to understand how it works and how it can reach even the most hard-

to-reach areas of the duct system, including sections behind dampers.

At the heart of the fogging process is the concept of particle size and distribution. When a cleaning solution is fogged into the ductwork, it breaks down into tiny particles that are suspended in the air. These particles are small enough to travel through the duct system and reach even the most remote areas, including sections behind dampers.

The size of these particles is critical to the effectiveness of the fogging process. If the particles are too large, they may not be able to penetrate deep into the ductwork or reach areas behind dampers. On the other hand, if the particles are too small, they may not have enough mass to effectively clean the surfaces they come into contact with.

To achieve the ideal particle size and distribution, it's important to use the right equipment and techniques. This may involve using specialized fogging machines that are designed to produce the right size and distribution of particles, as well as using the right type of cleaning solution.

In addition to particle size and distribution, it's also important to consider the airflow within the duct system. Proper airflow is essential for ensuring that the fogged cleaning solution is able to reach all areas of the ductwork, including sections behind dampers. This may involve adjusting the airflow within the system or using specialized techniques to ensure that the fogged solution is able to penetrate even the most hard-to-reach areas.

Overall, the science of fogging for duct cleaning is a complex and fascinating topic. By understanding the principles of particle size and distribution, as well as the importance of proper airflow, it's possible to achieve truly effective duct cleaning results that can improve indoor air quality and promote a healthier living or working environment.

- <https://s3.us-west-004.backblazeb2.com/corp-logistics/duct-stories-calgary/index.html>
- <https://s3.us-west-004.backblazeb2.com/corp-logistics/duct-stories-calgary/choosing-epa-registered-disinfectants-for-duct-interiors.html>

- <https://s3.us-west-004.backblazeb2.com/corp-logistics/duct-stories-calgary/-when-to-apply-ulv-fogging-in-hvac-cleaning.html>
- <https://s3.us-west-004.backblazeb2.com/corp-logistics/duct-stories-calgary/-natural-botanical-products-for-low-voc-sanitization.html>
- <https://s3.us-west-004.backblazeb2.com/corp-logistics/duct-stories-calgary/-odor-neutralizers-suitable-for-confined-ventilation-zones.html>
- <https://s3.us-west-004.backblazeb2.com/corp-logistics/duct-stories-calgary/-disinfecting-coils-after-microbial-contamination-events.html>
- <https://s3.us-west-004.backblazeb2.com/corp-logistics/duct-stories-calgary/-how-fogging-reaches-duct-sections-behind-dampers.html>
- <https://s3.us-west-004.backblazeb2.com/corp-logistics/duct-stories-calgary/-comparing-chemical-and-non-chemical-odor-treatments.html>
- <https://s3.us-west-004.backblazeb2.com/corp-logistics/duct-stories-calgary/-safety-procedures-when-applying-sanitizers-in-ducts.html>
- <https://s3.us-west-004.backblazeb2.com/corp-logistics/duct-stories-calgary/-the-science-behind-odor-adsorption-and-oxidation.html>
- <https://s3.us-west-004.backblazeb2.com/corp-logistics/duct-stories-calgary/-post-cleaning-deodorization-for-occupied-buildings.html>
- <https://s3.us-west-004.backblazeb2.com/corp-logistics/duct-stories-calgary/-maintaining-airflow-after-deodorizer-application.html>
- <https://s3.us-west-004.backblazeb2.com/corp-logistics/duct-stories-calgary/-documentation-required-for-sanitizer-usage-reporting.html>
- <https://s3.us-west-004.backblazeb2.com/corp-logistics/duct-stories-calgary/regulatory-standards-and-certification-frameworks.html>
- <https://s3.us-west-004.backblazeb2.com/corp-logistics/duct-stories-calgary/understanding-nadca-acr-guidelines-for-duct-cleaning.html>
- <https://s3.us-west-004.backblazeb2.com/corp-logistics/duct-stories-calgary/-how-ashrae-standards-align-with-ventilation-hygiene.html>
- <https://s3.us-west-004.backblazeb2.com/corp-logistics/duct-stories-calgary/-applying-osh-safety-principles-to-hvac-maintenance.html>
- <https://s3.us-west-004.backblazeb2.com/corp-logistics/duct-stories-calgary/-why-documentation-matters-for-iaq-compliance-audits.html>
- <https://s3.us-west-004.backblazeb2.com/corp-logistics/duct-stories-calgary/-the-role-of-certified-air-system-cleaning-specialists.html>

- <https://s3.us-west-004.backblazeb2.com/corp-logistics/duct-stories-calgary/-interpreting-acr-performance-verification-standards.html>
- <https://s3.us-west-004.backblazeb2.com/corp-logistics/duct-stories-calgary/-preparing-facilities-for-third-party-iaq-inspections.html>
- <https://s3.us-west-004.backblazeb2.com/corp-logistics/duct-stories-calgary/-comparing-commercial-cleaning-standards-across-sectors.html>
- <https://s3.us-west-004.backblazeb2.com/corp-logistics/duct-stories-calgary/-worker-training-requirements-under-osh-f-rameworks.html>
- <https://s3.us-west-004.backblazeb2.com/corp-logistics/duct-stories-calgary/-aligning-hvac-maintenance-with-iso-quality-systems.html>
- <https://s3.us-west-004.backblazeb2.com/corp-logistics/duct-stories-calgary/-aligning-hvac-maintenance-with-iso-quality-systems.html>

Sanitization Methods for Ductwork: Options and Cost Considerations

Understanding how fog penetrates past closed and leaky dampers is crucial for maintaining efficient HVAC systems and preventing potential issues such as condensation and mold growth. Dampers are designed to control the flow of air within ductwork, but they are not infallible barriers against fogging.

When fog, which consists of tiny water droplets suspended in the air, encounters a damper, several factors determine whether it will penetrate. Closed dampers, while intended to block airflow, may not be perfectly sealed. Manufacturing tolerances, wear and tear, or improper installation can create small gaps through which fog can seep. These gaps allow moisture-laden air to infiltrate the duct sections behind the dampers.

Leaky dampers present an even greater challenge. Leaks can occur due to various reasons, including corrosion, physical damage, or inadequate sealing materials. When a damper leaks, it essentially becomes a conduit for fog to enter the ductwork. The pressure differential between the areas on either side of the damper can exacerbate this issue, drawing fog into the system.

Moreover, the design of the damper itself plays a role. Some dampers are more prone to leakage than others. For instance, blade dampers, which use overlapping blades to block airflow, may not seal as effectively as parallel slide dampers, which move in a linear fashion to open and close. The choice of damper type can thus influence the extent to which fog penetrates.

Environmental conditions also contribute to the phenomenon. High humidity levels increase the likelihood of fog formation, making it easier for moisture to infiltrate even minor gaps in the damper. Additionally, temperature fluctuations can cause condensation to form on cold surfaces within the ductwork, further complicating the issue.

In conclusion, the penetration of fog past closed and leaky dampers is a multifaceted issue influenced by damper design, installation quality, environmental conditions, and the inherent properties of fog itself. Addressing this challenge requires a comprehensive approach, including regular maintenance, proper damper selection, and monitoring of environmental conditions to ensure the integrity of the HVAC system.

Sanitization Methods for Ductwork: Options and Cost Considerations

Image not found or type unknown

Disinfection Techniques: Eliminating Harmful

Microorganisms in Ducts

When it comes to maintaining effective fogging systems within ductwork, one critical component often overlooked is the integrity of the dampers. Dampers are essential for controlling airflow and ensuring that fogging agents reach all intended sections of the duct system. However, their condition can significantly impact the overall effectiveness of the fogging process.

Firstly, let's consider what dampers do. These devices regulate the flow of air within the ductwork, allowing for precise control over where and how much fog is distributed. If a damper is not functioning correctly—whether it's stuck open, stuck closed, or leaking—it can create imbalances in airflow. This imbalance means that some sections of the duct may receive too much fog, while others might not get any at all.

Assessing damper integrity is, therefore, a crucial step in ensuring fogging effectiveness. This assessment involves checking for physical damage, ensuring that the damper moves freely, and verifying that it seals properly when closed. A damaged or malfunctioning damper can lead to uneven fog distribution, reducing the system's efficiency and potentially leading to areas that are either over-fogged or under-fogged.

Moreover, the impact of damper integrity on fogging effectiveness extends beyond just distribution. Fogging systems are often used for cooling, humidity control, or pest management. In each of these applications, consistent and uniform fog distribution is key to achieving the desired outcomes. For instance, in pest control, uneven fog distribution can lead to areas where pests are not effectively targeted, rendering the fogging effort less successful.

In conclusion, maintaining the integrity of dampers is not just a matter of ensuring smooth airflow; it's a critical factor in the effectiveness of fogging systems. Regular inspections and maintenance of dampers can prevent issues that could otherwise compromise the entire fogging process. By ensuring that dampers are in optimal condition, we can achieve more

consistent and effective fog distribution throughout the ductwork, ultimately leading to better results in whatever application the fogging system is being used for.

Odor Neutralization Strategies: Achieving Fresh, Clean Air After Duct Cleaning

Okay, so you're trying to get the most out of fogging those air ducts, right? It's not just about blasting fog in there and hoping for the best. The real trick is getting that fog to actually *reach* every nook and cranny, especially those sneaky areas hiding behind dampers. Think of it like this: you're trying to paint a complex sculpture with spray paint – you need to be strategic.

The key is understanding airflow. Dampers, by design, restrict airflow. So, if a damper is even partially closed, it's going to block the fog from properly reaching the ductwork beyond. A big, forceful blast of fog might seem like the answer, but often it just bounces back or gets heavily concentrated near the entry point, leaving those hidden areas untouched.

Instead, think about a more nuanced approach. Maybe it's about using a finer mist, something that can be carried by even the slightest airflow. Or perhaps it's about adjusting the damper positions temporarily during the fogging process, opening them just enough to allow the fog to penetrate without completely negating their function. And of course, the right equipment matters. A good fogging machine with adjustable output and nozzle types can make all the difference in achieving even coverage. It's about finesse, not brute force, to make sure that fog actually goes where it needs to go and does its job properly.

DIY vs. Professional Sanitization, Disinfection, and Odor Neutralization: A Cost-Benefit Analysis

Understanding the role of air pressure and flow in fog distribution is crucial when examining how fogging reaches duct sections behind dampers. This phenomenon is particularly relevant in HVAC systems where precise control of humidity and temperature is essential for maintaining optimal indoor air quality.

Air pressure plays a pivotal role in the distribution of fog within ductwork. When a damper is closed, it creates a barrier that can impede the natural flow of air. However, the pressure differential between the area in front of and behind the damper can still drive fog particles through small gaps or imperfections in the damper seal. This pressure differential is often a result of the fans operation, which generates a consistent airflow through the duct system. As the fan pushes air forward, it creates higher pressure in the sections before the damper and lower pressure behind it. This pressure difference can force fog particles to migrate through any available openings, ensuring that even sections behind closed dampers receive some level of fog treatment.

Flow dynamics also significantly influence fog distribution. The velocity and direction of air within the ducts can either enhance or hinder the spread of fog particles. In sections where the

airflow is turbulent, fog particles are more likely to be dispersed evenly. Conversely, in areas with laminar flow, the fog may travel in a more streamlined path, potentially leading to uneven distribution. The design of the ductwork, including bends, elbows, and transitions, can create areas of turbulence that aid in the mixing of fog with the airstream.

Moreover, the size and density of the fog particles themselves affect how they travel through the ductwork. Smaller particles are more likely to follow the airflow and penetrate behind dampers, whereas larger particles may settle out of the airstream more quickly. This is why fog generators used in HVAC systems are designed to produce fine mist particles that can remain suspended in the air long enough to reach distant sections of the ductwork.

In summary, the interplay between air pressure and flow dynamics is essential for understanding how fogging reaches duct sections behind dampers. The pressure differential created by the fan and the turbulence within the ductwork facilitate the distribution of fog particles, ensuring that even closed-off sections receive the benefits of fog treatment. This knowledge is vital for maintaining efficient and effective HVAC systems, where consistent fog distribution contributes to better humidity control and overall indoor air quality.


Maintaining a Healthy Home: Post-Cleaning Tips and Preventative Measures

Okay, so youre thinking about getting your air ducts cleaned in Calgary, and youve heard about fogging as a method. One question that might pop into your head is: how does this fog actually *get* everywhere, especially those sneaky spots behind dampers? Dampers, those little plates inside your ductwork that control airflow, can seem like impenetrable barriers.

Traditional duct cleaning often relies on physical tools and suction, which can be tricky and sometimes ineffective behind closed or partially closed dampers. Thats where the beauty of fogging comes in. Think of it like this: imagine trying to clean a dusty shelf with a vacuum cleaner versus using a fine mist. The mist, or in our case the fog, can seep into every nook and cranny.

Fogging uses a specialized solution, atomized into a very fine mist. This mist is then pumped into your duct system. Because the particles are so small, they can easily navigate around dampers, even if theyre not completely open. The fog envelops the entire inner surface of the ductwork, reaching areas that brushes or vacuums might miss. Its kind of like a microscopic cleaning army, spreading out and neutralizing contaminants even behind those pesky dampers. This comprehensive coverage is a big reason why fogging is becoming a popular and affordable option for duct cleaning, especially in places like Calgary where efficient and thorough cleaning is essential for indoor air quality.

About duct



Look up **duct** in Wiktionary, the free dictionary.

The word **duct** is derived from the Latin word for *led/leading*. It may refer to:

- Duct (anatomy), various ducts in anatomy and physiology
 - Tear duct, which carry tears to the eyes
- Duct (HVAC), for transfer of air between spaces in a structure
- Duct tape, a kind of adhesive tape
- Ducted fan, motor for aircraft
- Electrical bus duct, a metal enclosure for busbars
- Duct (industrial exhaust), industrial exhaust duct system designed for low pressure-pneumatic convey of gas, fumes, dusts, shavings, and other pollutants from works

space to atmosphere after cleaning and removal of contaminants

- Atmospheric duct, a horizontal layer in the lower atmosphere in which the vertical refractive index gradients are such that radio signals (a) are guided or ducted, (b) tend to follow the curvature of the Earth, and (c) experience less attenuation in the ducts than they would if the ducts were not present
 - Tropospheric ducting, a type of radio propagation in the troposphere that allows signals to travel unusually long distances
 - Earth–ionosphere waveguide, a type of atmospheric duct
- Surface duct, a sound propagation phenomenon at sea
- Duct Publishing, an imprint of the German group VDM Publishing devoted to the reproduction of Wikipedia content
- Dispatchable Unit Control Table (DUCT) in z/Architecture
- Flexible Ducting

See also

[edit]

- Ducked

Disambiguation icon

image not found or type unknown

This disambiguation page lists articles associated with the title **Duct**.

If an internal link led you here, you may wish to change the link to point directly to the intended article.

About airflow

Airflow, or air circulation, is the movement of air. Air behaves in a liquid manner, indicating bits normally flow from locations of greater stress to those where the pressure is reduced. Climatic atmospheric pressure is straight related to elevation, temperature level, and make-up. In engineering, air movement is a measurement of the quantity of air per unit of time that streams through a particular device. It can be called a volumetric flow rate (volume of air per unit time) or a mass circulation price (mass of air per unit time). What relates both forms of description is the air thickness, which is a function of stress and temperature with the excellent gas legislation. The flow of air can be induced via mechanical means (such as by operating an electric or hand-operated follower) or can happen passively, as a function of stress differentials present in the environment.

.

About The Duct stories Calgary Calgary

Driving Directions in Calgary

dryer vent cleaning Calgary

50.980206222363, -113.95779695497

Starting Point

, 30 Ave SE, Calgary, AB, Canada

Destination

[Open in Google Maps](#)

affordable duct cleaning calgary

51.068007559415, -114.03819947348

Starting Point

, 30 Ave SE, Calgary, AB, Canada

Destination

[Open in Google Maps](#)

cheap duct cleaning Calgary

51.053493235508, -113.9388417719

Starting Point

, 30 Ave SE, Calgary, AB, Canada

Destination

[Open in Google Maps](#)

cheap duct cleaning Calgary

50.977666115952, -113.98963419944

Starting Point

, 30 Ave SE, Calgary, AB, Canada

Destination

[Open in Google Maps](#)

furnace and duct cleaning Calgary

51.000089770838, -113.93790916677

Starting Point

, 30 Ave SE, Calgary, AB, Canada

Destination

[**Open in Google Maps**](#)

air duct cleaning calgary

51.066006259496, -113.99151232684

Starting Point

, 30 Ave SE, Calgary, AB, Canada

Destination

[**Open in Google Maps**](#)

Calgary indoor air quality services

51.039139193256, -113.92383533781

Starting Point

, 30 Ave SE, Calgary, AB, Canada

Destination

[**Open in Google Maps**](#)

commercial duct cleaning Calgary

51.024480355564, -114.00803664711

Starting Point

, 30 Ave SE, Calgary, AB, Canada

Destination

[**Open in Google Maps**](#)

duct cleaning calgary

51.073645824299, -113.98183545625

Starting Point

, 30 Ave SE, Calgary, AB, Canada

Destination

[Open in Google Maps](#)

professional air duct cleaners Calgary

50.996369224815, -113.95486400895

Starting Point

, 30 Ave SE, Calgary, AB, Canada

Destination

[Open in Google Maps](#)

Google Maps Location

<https://www.google.com/maps/place/The+Duct+stories+Calgary+Calgary+/@51.063559599993,-113.95546732475,25.2z/data=!4m6!3m5!1s0x53717af01355ed4d:0x913b2b02dcf1814f!8m2!3d51.026562113.9937041!16s%2F>

Click below to open this location on Google Maps

[Open in Google Maps](#)

Google Maps Location

<https://www.google.com/maps/place/The+Duct+stories+Calgary+Calgary+/@51.047958624714,-113.99132427828,25.2z/data=!4m6!3m5!1s0x53717af01355ed4d:0x913b2b02dcf1814f!8m2!3d51.026562113.9937041!16s%2F>

Click below to open this location on Google Maps

[Open in Google Maps](#)

Google Maps Location

<https://www.google.com/maps/place/The+Duct+stories+Calgary+Calgary+/@51.052585072457,-114.05511600329,25.2z/data=!4m6!3m5!1s0x53717af01355ed4d:0x913b2b02dcf1814f!8m2!3d51.026562113.9937041!16s%2F>

Click below to open this location on Google Maps

[Open in Google Maps](#)

Google Maps Location

<https://www.google.com/maps/place/The+Duct+stories+Calgary+Calgary+/@51.035431736259,-113.96344444153,25.2z/data=!4m6!3m5!1s0x53717af01355ed4d:0x913b2b02dcf1814f!8m2!3d51.026562113.9937041!16s%2F>

Click below to open this location on Google Maps

[Open in Google Maps](#)

Google Maps Location

<https://www.google.com/maps/place/The+Duct+stories+Calgary+Calgary+/@50.989556984625,-114.02237481427,25.2z/data=!4m6!3m5!1s0x53717af01355ed4d:0x913b2b02dcf1814f!8m2!3d51.026562113.9937041!16s%2F>

Click below to open this location on Google Maps

[Open in Google Maps](#)

Google Maps Location

<https://www.google.com/maps/place/The+Duct+stories+Calgary+Calgary+/@51.025472031762,-114.04288165691,25.2z/data=!4m6!3m5!1s0x53717af01355ed4d:0x913b2b02dcf1814f!8m2!3d51.026562113.9937041!16s%2F>

Click below to open this location on Google Maps

[Open in Google Maps](#)

Google Maps Location

<https://www.google.com/maps/place/The+Duct+stories+Calgary+Calgary+/@51.03735540936,-114.04991496245,25.2z/data=!4m6!3m5!1s0x53717af01355ed4d:0x913b2b02dcf1814f!8m2!3d51.026562113.9937041!16s%2F>

Click below to open this location on Google Maps

[Open in Google Maps](#)

Google Maps Location

<https://www.google.com/maps/place/The+Duct+stories+Calgary+Calgary+/@51.048598394377,-113.94171007977,25.2z/data=!4m6!3m5!1s0x53717af01355ed4d:0x913b2b02dcf1814f!8m2!3d51.026562113.9937041!16s%2F>

Click below to open this location on Google Maps

[Open in Google Maps](#)

Google Maps Location

<https://www.google.com/maps/place/The+Duct+stories+Calgary+Calgary+/@51.011565551965,-114.01039322177,25.2z/data=!4m6!3m5!1s0x53717af01355ed4d:0x913b2b02dcf1814f!8m2!3d51.026562113.9937041!16s%2F>

Click below to open this location on Google Maps

[Open in Google Maps](#)

Google Maps Location

<https://www.google.com/maps/place/The+Duct+stories+Calgary+Calgary+/@50.994528590172,-113.95100740652,25.2z/data=!4m6!3m5!1s0x53717af01355ed4d:0x913b2b02dcf1814f!8m2!3d51.026562113.9937041!16s%2F>

Click below to open this location on Google Maps

[Open in Google Maps](#)

Google Maps Location

https://www.google.com/maps/dir/?api=1&origin=51.024480355564,-114.00803664711&destination=%2C+30+Ave+SE%2C+Calgary%2C+AB%2C+Canada&destination_place_id=EnwNwcVMROrZStrE7bSY&travelmode=driving&query=commercial+duct+cleaning+Calgary

Click below to open this location on Google Maps

[Open in Google Maps](https://www.google.com/maps/dir/?api=1&origin=51.024480355564,-114.00803664711&destination=%2C+30+Ave+SE%2C+Calgary%2C+AB%2C+Canada&destination_place_id=EnwNwcVMROrZStrE7bSY&travelmode=driving&query=commercial+duct+cleaning+Calgary)

Google Maps Location

https://www.google.com/maps/dir/?api=1&origin=51.000141289862,-114.01993566969&destination=%2C+30+Ave+SE%2C+Calgary%2C+AB%2C+Canada&destination_place_id=EnwNwcVMROrZStrE7bSY&travelmode=driving&query=Calgary+indoor+air+quality+services

Click below to open this location on Google Maps

[Open in Google Maps](https://www.google.com/maps/dir/?api=1&origin=51.000141289862,-114.01993566969&destination=%2C+30+Ave+SE%2C+Calgary%2C+AB%2C+Canada&destination_place_id=EnwNwcVMROrZStrE7bSY&travelmode=driving&query=Calgary+indoor+air+quality+services)

Google Maps Location

https://www.google.com/maps/dir/?api=1&origin=51.010374945182,-113.96078319763&destination=%2C+30+Ave+SE%2C+Calgary%2C+AB%2C+Canada&destination_place_id=EnwNwcVMROrZStrE7bSY&travelmode=driving&query=best+duct+cleaning+Calgary

Click below to open this location on Google Maps

[Open in Google Maps](https://www.google.com/maps/dir/?api=1&origin=51.010374945182,-113.96078319763&destination=%2C+30+Ave+SE%2C+Calgary%2C+AB%2C+Canada&destination_place_id=EnwNwcVMROrZStrE7bSY&travelmode=driving&query=best+duct+cleaning+Calgary)

Google Maps Location

https://www.google.com/maps/dir/?api=1&origin=51.062348139488,-113.96342506358&destination=%2C+30+Ave+SE%2C+Calgary%2C+AB%2C+Canada&destination_place_id=EnwNwcVMROrZStrE7bSY&travelmode=driving&query=affordable+duct+cleaning+calgary

Click below to open this location on Google Maps

[Open in Google Maps](https://www.google.com/maps/dir/?api=1&origin=51.062348139488,-113.96342506358&destination=%2C+30+Ave+SE%2C+Calgary%2C+AB%2C+Canada&destination_place_id=EnwNwcVMROrZStrE7bSY&travelmode=driving&query=affordable+duct+cleaning+calgary)

Google Maps Location

https://www.google.com/maps/dir/?api=1&origin=51.056532953158,-114.01493476403&destination=%2C+30+Ave+SE%2C+Calgary%2C+AB%2C+Canada&destination_place_id=EnwNwcVMROrZStrE7bSY&travelmode=driving&query=affordable+duct+cleaning+calgary

EnwNwcVMROrZStrE7bSY&travelmode=driving&query=best+duct+cleaning+Calgary

Click below to open this location on Google Maps

[Open in Google Maps](#)

Google Maps Location

https://www.google.com/maps/dir/?api=1&origin=51.032886518267,-

114.06550588729&destination=%2C+30+Ave+SE%2C+Calgary%2C+AB%2C+Canada&destination_place_id=ChIJ30AveSECalgaryABCanada

EnwNwcVMROrZStrE7bSY&travelmode=driving&query=professional+air+duct+cleaners+Calgary

Click below to open this location on Google Maps

[Open in Google Maps](#)

Google Maps Location

https://www.google.com/maps/dir/?api=1&origin=51.023954943315,-

113.97575711283&destination=%2C+30+Ave+SE%2C+Calgary%2C+AB%2C+Canada&destination_place_id=ChIJ30AveSECalgaryABCanada

EnwNwcVMROrZStrE7bSY&travelmode=driving&query=residential+duct+cleaning+Calgary

Click below to open this location on Google Maps

[Open in Google Maps](#)

Google Maps Location

https://www.google.com/maps/dir/?api=1&origin=51.053600034374,-

113.96468783087&destination=%2C+30+Ave+SE%2C+Calgary%2C+AB%2C+Canada&destination_place_id=ChIJ30AveSECalgaryABCanada

EnwNwcVMROrZStrE7bSY&travelmode=driving&query=furnace+cleaning+calgary

Click below to open this location on Google Maps

[Open in Google Maps](#)

Google Maps Location

https://www.google.com/maps/dir/?api=1&origin=51.016754479134,-

114.04163952777&destination=%2C+30+Ave+SE%2C+Calgary%2C+AB%2C+Canada&destination_place_id=ChIJ30AveSECalgaryABCanada

EnwNwcVMROrZStrE7bSY&travelmode=driving&query=residential+duct+cleaning+Calgary

Click below to open this location on Google Maps

[Open in Google Maps](#)

Google Maps Location

https://www.google.com/maps/dir/?api=1&origin=51.029839946564,-113.97552250044&destination=%2C+30+Ave+SE%2C+Calgary%2C+AB%2C+Canada&destination_place_id=EnwNwcVMROrZStrE7bSY&travelmode=driving&query=duct+cleaning+calgary

Click below to open this location on Google Maps

[Open in Google Maps](#)

The Duct Stories Calgary

Phone : +15872296222

City : Calgary

State : Canada

Zip : AB T3H 6C8

Address : 75 Timberline Pt SW

Google Business Profile

Company Website : www.ductcleaningwinnipeg.net

Sitemap

Privacy Policy

About Us

Follow us